



Reconstruction of 3D flow structures in a cylindrical cavity with a rotating lid

Meyer, Knud Erik

Publication date:
2016

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Meyer, K. E. (2016). *Reconstruction of 3D flow structures in a cylindrical cavity with a rotating lid*. Abstract from EUROMECH Colloquium 581: Dynamics of Concentrated Vortices, Novosibirsk , Russian Federation.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

RECONSTRUCTION OF 3D FLOW STRUCTURES IN A CYLINDRICAL CAVITY WITH A ROTATING LID

Knud Erik Meyer

Dept. of Mechanical Engineering, Technical University of Denmark, 2800 Lyngby, Denmark
E-mail: kem@mek.dtu.dk

Keywords: vortex, PIV, POD

The flow in a cylindrical cavity with a rotating lid has been studied for many years, e.g. by Sørensen et al (2006). It contains general flow phenomena like vortex breakdown and in some cases the break down is accompanied by multihelix vortices (Okulov *et al*, 2010). This type of flow phenomenon is difficult to capture experimentally since the flow is fully three-dimensional and also varies in time. A measurement in a point or in a plane will by itself not give the full picture of the flow.

Measurement with Particle Image Velocimetry (PIV) analyzed with Proper Orthogonal Decomposition (POD) is a promising method of reconstructing the full three dimensional, time-varying flow structures. This has been attempted in Meyer *et al* (2008) and Meyer *et al* (2009). The analyzed measurements show both that the vortex breakdown in some cases is asymmetrical (rotating around the cylinder axis) and that the presence of helical vortices can be detected. However, the interpretation of the resulting flow still is done with an element of guessing on whether a specific variation is caused by an actual time variation of a structure or is caused by the rotation of a three-dimensional structure.

The present work will also be based on time-resolved stereoscopic PIV measurements in a vertical plane through the cylinder axis as shown in figure 1. Compared to Meyer *et al* (2008) the measurements will be expanded by adding measurements in several points outside the PIV data plane with a Laser Doppler Anemometer (LDA). LDA has a very good time resolution and the synchronized PIV and LDA measurements will therefore resolve the ambiguity in the interpretation of PIV data with respect to whether the flow variations are caused by rotation of a three-dimensional structure or is a real transient phenomenon.




Figure 1: Sketch of setup for stereoscopic PIV measurement

References

- Sørensen, J. N., Naumov, I. and Mikkelsen, R. Experimental investigation of three-dimensional flow instabilities in a rotating lid-driven cavity. *Experiments in Fluids*, 41:425–440, 2006
- Okulov, V.L., Naumov, I. V. and Meyer, K. E. Explanation of Visual Diagnostics of Multihelix Vortex Breakdown. *Doklady Physics* 55 (11), 556-560, 2010.
- Meyer, K. E., Sørensen, J. N., Mikkelsen, R. & Watz, B.B. Frequency and flow structure detection in a cylindrical cavity using POD. In R. J. Adrian et al, editor, 14th Int. Symposium on Applications of Laser Techniques to Fluid Mechanics, Lisbon, Portugal, 2008
- Meyer, K. E., Sørensen, J. N. and Naumov, I. Reconstruction of 3D flow structures in a cylindrical cavity with rotating lid using time-resolved stereo PIV. 8TH INTERNATIONAL SYMPOSIUM ON PARTICLE IMAGE VELOCIMETRY - PIV09 Melbourne, Victoria, Australia, August 25-28, 2009.