



Comparative study of PBI Cross Linked Utilizing Agents of Varying Steric Configurations

Kirkebeck, Andreas; Aili, David; Li, Qingfeng; Jensen, Jens Oluf

Published in:

ISPE-XV, Uppsala 15-19th August 2016

Publication date:

2016

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Kirkebeck, A., Aili, D., Li, Q., & Jensen, J. O. (2016). Comparative study of PBI Cross Linked Utilizing Agents of Varying Steric Configurations. In ISPE-XV, Uppsala 15-19th August 2016 (pp. 124-124). [P49]

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Comparative study of PBI Cross Linked Utilizing Agents of Varying Steric Configurations

Andreas Kirkebæk¹, David Aili¹, Qingfeng Li¹, Jens Oluf Jensen¹

Section of Proton Conductors, Department of Energy Conversion and Storage, Technical University of Denmark, Kemitorvet 207, DK-2800 Kgs. Lyngby, Denmark

akir@dtu.dk

The high thermal and chemical stability of poly[2,2'-(*m*-phenylene)-5,5' bibenzimidazole] (PBI) accounts for its wide spread use in high temperature polymer electrolyte membrane fuel cells (HT-PEMFC). By doping the membrane with phosphoric acid (PA) ionic conductivity is obtained. Thus conductivity is dependent on the amount of PA present within the membrane. However mechanical properties are significantly reduced due to the plasticizing effect shown by PA [1]. This effect is due to PBI chain displacement. This effect can be lessened by use of cross linking [2-4]. This can be obtained using ionic or covalent cross linking. When considering such, little attention is devoted to explore the effect of the sterical configuration of the cross linking agent.

In this contribution three different cross linking agents are utilized to evaluate how these affects final membrane properties.




Figure 1. Different cross linkers utilized in this work.

References

- [1] Q. Li, J. O. Jensen, R. F. Savinell, and N. J. Bjerrum, *Prog. Polym. Sci.* 34 (2009) 449–477.
- [2] J. Yang, Y. Xu, P. Liu, L. Gao, Q. Che, and R. He, *Electrochim. Acta* 160 (2015) 281–287.
- [3] L. Wu, D. Zhou, H. Wang, Q. Pan, J. Ran, and T. Xu, *Fuel Cells* 15 (2015) 189–195.
- [4] J. Kerres and V. Atanasov, *Int. J. Hydrogen Energy* 40 (2015) 14723–14735.