Fluid-like elasticity induced by anisotropic effective mass density

Ma, Guancong; Fu, Caixing; Wang, Guanghao; del Hougne, Philipp; Christensen, Johan; Lai, Yun; Sheng, Ping

Link to article, DOI:

[10.1109/PIERS.2016.7734254](https://doi.org/10.1109/PIERS.2016.7734254)

Publication date:

2016

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Ma, G., Fu, C., Wang, G., del Hougne, P., Christensen, J., Lai, Y., & Sheng, P. (2016). *Fluid-like elasticity induced by anisotropic effective mass density*. Abstract from Progress In Electromagnetics Research Symposium 2016, Shanghai, China. <https://doi.org/10.1109/PIERS.2016.7734254>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Fluid-like Elasticity Induced by Anisotropic Effective Mass Density

Guancong Ma^{1,2}, Caixing Fu², Guanghao Wang³, Philipp del Hougne²,
Johan Christensen⁴, Yun Lai³, and Ping Sheng^{1,2}

¹Institute for Advanced Study, HKUST, Clear Water Bay, Kowloon, Hong Kong, China

²Department of Physics, HKUST, Clear Water Bay, Kowloon, Hong Kong, China

³Department of Physics, Soochow University, 1 Shizi Street, Suzhou 215006, China

⁴Department of Photonics Engineering, Technical University of Denmark
DK-2800 Kongens Lyngby, Denmark

Abstract— We present a three-dimensional anisotropic elastic metamaterial, which can generate dipolar resonances. Repeating these subwavelength units can lead to one-dimensional arrays, which are essentially elastic rods that can withstand both longitudinal, and flexural vibrations. Band structure analysis shows the systems can have distinctive responses to waves with each polarization. In particular, we demonstrate that only longitudinal wave can propagate within a finite frequency regime, whereas transverse (flexural) waves meet a bandgap — a property conventionally found only in fluids. Effective medium calculation reveals that the indefinite effective mass density (positive along one spatial direction, but negative along another) is responsible to this exotic behavior. Experiments show good agreement with theoretical predictions and simulations. Our findings can see applications in many scenarios such as civil engineering and seismic wave control.