



## Sustainability assessment of stormwater management systems

**Brudler, Sarah; Arnbjerg-Nielsen, Karsten; Ammitsøe, Christian; Hauschild, Michael Zwicky; Rygaard, Martin**

*Publication date:*  
2017

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Brudler, S., Arnbjerg-Nielsen, K., Ammitsøe, C., Hauschild, M. Z., & Rygaard, M. (2017). Sustainability assessment of stormwater management systems. Abstract from 15th Nordic Wastewater Conference, Aarhus, Denmark.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## **Sustainability assessment of stormwater management systems**

*Sarah Brudler, Karsten Arnbjerg-Nielsen, Christian Ammitsøe, Michael Zwicky Hauschild, Martin Rygaard*

### **Summary**

We quantify ecotoxicity impacts caused by different solutions to manage stormwater using life cycle assessment. As a novelty, we include emissions of a wide range of pollutants present in runoff. These emissions turn out to be of great importance, especially in decentralized, above surface systems.


### **Abstract**

We use life cycle assessment to quantify the environmental sustainability of stormwater management systems. All relevant processes related to implementation, maintenance, and end of life of the installations are included, causing non-location specific, “global” emissions. As a novelty, we develop a systematic approach to include local emissions from discharge of runoff during the use stage of the system.

We determine the average potential ecotoxicity impact per litre of runoff discharged to the environment. Mean concentrations are estimated for a large number of pollutants potentially present in runoff based on a wide range of measurement data found in literature. Local emissions of heavy metals contribute most to the ecotoxicity impact.

The relative importance of local emissions depends on the system approach. In decentralized systems that mainly utilize above surface structures, local emissions contribute significantly to the impacts when no treatment is in place. In the case of centralized, subsurface systems the total impacts are higher, even though metal removal in central wastewater treatment plants leads to lower contributions from local emissions.

### System boundaries of the assessment



### Ecotoxicology impacts of different stormwater management systems

