



## Peptide Pattern Recognition for high-throughput protein sequence analysis and clustering

**Busk, Peter Kamp**

*Link to article, DOI:*  
[10.1101/181917](https://doi.org/10.1101/181917)

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Busk, P. K. Peptide Pattern Recognition for high-throughput protein sequence analysis and clustering DOI: 10.1101/181917

## DTU Library Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## **Peptide Pattern Recognition for high-throughput protein sequence analysis and clustering**

Peter Kamp Busk

Department of Chemical and Biochemical Engineering, , Technical University of Denmark, Søtofts Plads, Building 229, 2800, Kgs. Lyngby, Denmark. Email: [pbus@kt.dtu.dk](mailto:pbus@kt.dtu.dk)

### **Abstract:**

Large collections of protein sequences with divergent sequences are tedious to analyze for understanding their phylogenetic or structure-function relation. Peptide Pattern Recognition is an algorithm that was developed to facilitate this task but the previous version does only allow a limited number of sequences as input.

I implemented Peptide Pattern Recognition as a multithread software designed to handle large numbers of sequences and perform analysis in a reasonable time frame. Benchmarking showed that the new implementation of Peptide Pattern Recognition is twenty times faster than the previous implementation on a small protein collection with 673 MAP kinase sequences. In addition, the new implementation could analyze a large protein collection with 48,570 Glycosyl Transferase family 20 sequences without reaching its upper limit on a desktop computer.

Peptide Pattern Recognition is a useful software for providing comprehensive groups of related sequences from large protein sequence collections.

### **Introduction**

Peptide Pattern Recognition (PPR) is a non-alignment-based method for analyzing large number of divergent protein sequences (Busk and Lange, 2013). The method consists of identifying a defined number of short sequences that are conserved in a group of protein sequences each containing more than a threshold number of the short, conserved sequences in their amino acid sequence. Hence, the output of PPR consists of groups of proteins with corresponding groups of short sequences that are conserved in the protein sequences.

The proteins in each PPR group have the same tertiary structure and often share functional features such as similar or same function; e.g. PPR predicts the function of carbohydrate-active enzymes with higher precision than any other method (Busk and Lange, 2013). Due to these features PPR has been used to provide an overview of the sequence variation of new enzyme families to pinpoint

conserved motifs in the enzymes and find sequence features related to function (Busk and Lange, 2015; Agger *et al.*, 2017). Moreover, the short, conserved peptides can be used as a fast tool for finding enzymes similar to a PPR group in genomes, transcriptomes and other sequence data (Bech *et al.*, 2014; Busk *et al.*, 2014; Huang *et al.*, 2014; Busk *et al.*, 2017; Wilkens *et al.*, 2017).

Recently, PPR was used to divide integral membrane fatty acid desaturase family into groups of sequences that could be used for phylogenetic analysis (Wilding *et al.*, 2017). However, only a limited number of the sequences could be grouped due to low processing capacity of the previously published PPR software.

Here, I present an updated PPR package (PPR version 2) capable of grouping at least 48,570 sequences in 50 hours on a desktop computer.

## **Implementation**

The PPR algorithm (Busk and Lange, 2013) was implemented in an updated PPR package to optimize the number of sequences that can be processed and to increase the speed of analysis. PPR version 2 is provided as source code with the possibility to modify all relevant parameters including selecting a range of parameters to screen, set up automatic screening of several protein families or both.

The input and output files are defined directly in the source code or by providing them as a variable when running PPR. The same goes for the most important parameters for PPR analysis: the length of the conserved sequences (peptide length), number of conserved sequences (limit) and number of conserved sequences in each protein (cut off) (Busk and Lange, 2013). Finally, a number of parameters that are usually not changed from run to run are defined in the source code.

The result of a PPR analysis consist of a number of files containing groups of protein sequences and a number of files containing lists of short sequences (peptides) that are highly conserved in the protein groups.

The file {input name}\_classification\_overview.txt contains an overview of the number of proteins in each group and the file {input name}\_conserved\_peptides.txt contains a short list of the conserved peptides and their frequency for each group. This list is suitable for annotation of new proteins to the groups, e.g.; as an input to the applications classify proteins (Busk and Lange, 2013), <https://sourceforge.net/projects/shocopop/files/> or Homology to Peptide Patterns (Hotpep) (Busk *et al.*, 2014, 2017).

## **Results**

Analysis of different sequence collections (see Supplemental Files) showed that PPR version 2 was faster than the previously published PPR software (old PPR) (Busk and Lange, 2013) for the small sequence collections with 104 Glycosyl Hydrolase family 117 (GH117) enzymes and for 637 MAP kinases (MAPK)(Table 1). The old PPR crashed when handling 1253 Zinc-finger proteins (ZNF). In contrast PPR version 2 could handle this and larger sequence collections up to 48,570 Glycosyl Transferase family 2 (GT2) sequences (Table 1). No further testing of larger families was performed as most families are smaller than 50,000 members and exceptionally large families can be handled by using a more powerful hardware setup.

The diversity of sequences within each PPR group is large as measured by MUSCLE pairwise alignment (Edgar, 2004) of the highest scoring protein in each group (Table 1).

## **Conclusion**

PPR version 2 is a fast method for dividing large families of protein sequences into related groups to facilitate phylogenetic analysis (Wilding *et al.*, 2017) and functional sequence analysis (Agger *et al.*, 2017; Busk and Lange, 2015, 2013). The lists of conserved, short sequences provided for each group can be used for structure-function investigations and for annotation of proteins e.g. predicted protein coding sequences from a genome with the Hotpep program (Busk *et al.*, 2014).

The software can be used on a desktop computer and is available as source code for modification and improvement.

**Availability:** Peptide Pattern Recognition is available at <https://sourceforge.net/projects/peptide-pattern-recognition/>

## **Acknowledgements**

None.

## **Funding**

This work was not supported by any funding.

## **Conflict of Interest:**

None declared.

## References

- Agger, J.W. *et al.* (2017) A New Functional Classification of Glucuronoyl Esterases by Peptide Pattern Recognition. *Front Microbiol.*, **8**, 309.
- Bech, L. *et al.* (2014) Cell Wall Degrading Enzymes in *Trichoderma asperellum* Grown on Wheat Bran. *Fungal Genomics & Biology*, 1–10.
- Busk, P.K. *et al.* (2017) Homology to peptide pattern for annotation of carbohydrate-active enzymes and prediction of function. *BMC Bioinformatics*, **18**, 214.
- Busk, P.K. *et al.* (2014) Several genes encoding enzymes with the same activity are necessary for aerobic fungal degradation of cellulose in nature. *PLoS ONE*, **9**, e114138.
- Busk, P.K. and Lange, L. (2015) Classification of fungal and bacterial lytic polysaccharide monooxygenases. *BMC Genomics*, **16**, 368.
- Busk, P.K. and Lange, L. (2013) Function-based classification of carbohydrate-active enzymes by recognition of short, conserved peptide motifs. *Appl. Environ. Microbiol.*, **79**, 3380–3391.
- Edgar, R.C. (2004) MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research*, **32**, 1792–1797.
- Huang, Y. *et al.* (2014) Identification of a  $\beta$ -glucosidase from the *Mucor circinelloides* genome by peptide pattern recognition. *Enzyme Microb. Technol.*, **67**, 47–52.
- Wilding, M. *et al.* (2017) An improved and general streamlined phylogenetic protocol applied to the fatty acid desaturase family. *Mol. Phylogenet. Evol.*, **115**, 50–57.
- Wilkins, C. *et al.* (2017) Diversity of microbial carbohydrate-active enzymes in Danish anaerobic digesters fed with wastewater treatment sludge. *Biotechnol Biofuels*, **10**, 158.

**Table 1:** Benchmarking and performance of PPR version 2

Proteins	Sequences	Analysis time old PPR	Analysis time PPR version 2	Groups	Percent identity
GH117	104	34 s	4 s	5	18 - 36
MAPK	673	1680 s	72 s	16	8 - 43
ZNF	1,253	na	170 s	8	10 - 56
P450	1,355	na	316 s	48	8 - 44
GH20	2,343	na	1432 s	57	8 - 43
GT2	48,570	na	50 h	234	0 - 52

Analysis time was measured on a desktop computer (IntelR Core i7-2600 CPU @ 3.40 GHz, 16 GB RAM). Percent identity between highest scoring sequence in each group was calculated with MUSCLE (Edgar, 2004). “na”: Not analyzable.