

## Fracture in Soft Materials

Hassager, Ole

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Hassager, O. (2017). Fracture in Soft Materials. Abstract from Outlook of Soft Matter Physics and Its Applications, Beijing, China.

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



北京航空航天大学  
BEIHANG UNIVERSITY

# Outlook of Soft Matter Physics and Its Applications

软物质物理及其应用展望国际会议

*15-18 December 2017 · Vision Hotel*



Host :

Center of Soft Matter Physics and Its Applications

School of Chemistry

School of Physics and Nuclear Energy Engineering



**Ole Hassager**

Department of Chemical and Biochemical Engineering

Technical University of Denmark

Email: oh@kt.dtu.dk

## **Fracture in Soft Materials**

**Abstract:** Fracture is a phenomenon that is generally associated with solids. A key element in fracture theory is the so-called weakest link idea that fracture initiates from the largest pre-existing material imperfection. However, recent work has demonstrated that fracture can also happen in liquids, where surface tension will act to suppress such imperfections. Therefore, the weakest link idea does not seem immediately applicable to fracture in liquids. This presentation will review fracture in liquids and argue that fracture in soft liquids is a material property independent of pre-existing imperfections. The following questions then emerge: What is the material description needed to predict crack initiation, crack speed and crack shape in soft materials and liquids.