



Excitation of anodized alumina films with a light source

Aggerbeck, Martin; Canulescu, Stela; Rechendorff, K.; Schou, Jørgen; Ambat, Rajan

Publication date:
2012

[Link back to DTU Orbit](#)

Citation (APA):

Aggerbeck, M., Canulescu, S., Rechendorff, K., Schou, J., & Ambat, R. (2012). Excitation of anodized alumina films with a light source. Abstract from 8th International Conference on Photon-Excited Processes and Application (IPECA 2012), Rochester, NY, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Excitation of anodized alumina films with a light source

M. Aggerbeck¹, S. Canulescu², K. Rechendorff³, J. Schou², R. Ambat¹

- 1) Department of Mechanical Engineering, Technical University of Denmark, DK-2800 Kgs. Lyngby, Denmark
- 2) Department of Photonics Engineering, Risø Campus, Technical University of Denmark, DK-4000 Roskilde, Denmark
- 3) Danish Technological Institute, 8000 Aarhus C, Denmark.
- 4) Optical properties of anodized aluminium alloys were determined by optical diffuse reflectance spectroscopy of such films. Samples with different concentrations of dopants were excited with a white-light source combined with an integrating sphere for fast determination of diffuse reflectance. The UV-VIS reflectance of Ti-doped anodized aluminium films was measured over the wavelength range of 200 nm to 900 nm. Titanium doped-anodized aluminium films with 5-15 wt% Ti were characterized. Changes in the diffuse light scattering of doped anodized aluminium films, and thus optical appearance, with doping are discussed. Using the Kubelka-Munk model on the diffuse reflectance spectra of such films, the bandgap E_g of the oxide alloys can be determined.