



An integral analysis for second generation bioethanol production via a dynamic model-based simulation approach: stochastic nonlinear optimisation

Morales Rodriguez, Ricardo; Meyer, Anne S.; Gernaey, Krist; Sin, Gürkan

Publication date:
2011

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Morales Rodriguez, R., Meyer, A. S., Gernaey, K., & Sin, G. (2011). An integral analysis for second generation bioethanol production via a dynamic model-based simulation approach: stochastic nonlinear optimisation. Abstract from 8th European Congress of Chemical Engineering, Berlin, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

An Integral Analysis for Second Generation Bioethanol Production via a Dynamic Model-Based Simulation Approach: An Energy Efficiency Assessment

Ricardo Morales-Rodriguez¹, Anne S. Meyer², Krist V. Gernaey³, Gürkan Sin¹

¹CAPEC, ²BIOENG, ³PROCESS, Department of Chemical and Biochemical Engineering, Technical University of Denmark, DK-2800 Lyngby, Denmark.

There are different technological routes to biofuels production such as, biohydrogen, biomethane, biobutanol, among others. Bioethanol production from lignocellulosic feedstock has acquired special attention, and its feasibility has been demonstrated at laboratory, pilot and demo-plant scale^[1,2,3]. Despite the reported progress and the promising results, however, at present this technology is not cost-competitive compared with first generation bioethanol production or fossil-fuels. Therefore, there is further room for optimisation of the technology and improvement of its cost-effectiveness. The objective of this study is to perform an integral analysis for bioethanol production from lignocellulosic feedstock using a rigorous dynamic modelling approach for the whole process. The bioethanol production includes different sections such as, pre-treatment of the substrate, enzymatic hydrolysis of cellulose, co-fermentation of sugars and downstream processes for purification and recovery of most value-added products. The dynamic model involves both the mass and energy balances coupled with constitutive dynamic equations to assess the process yield and energy efficiency of different bioethanol processes. This study employs the Dynamic Lignocellulosic Bioethanol (DLB 1.0) modelling platform^[4], which has demonstrated to describe accurately the dynamics of the pre-treatment, enzymatic hydrolysis and co-fermentation. Moreover, DLB 1.0 is complemented by downstream process models. The results will show and provide further analysis for 2G bioethanol production, aiming to decrease and find a competitive bioethanol production cost that recently was set on \$2.35 USD/gallon^[5]. Thus, the application of the constructed modelling platform will allow and support the analysis and search of a more reliable and feasible bioethanol production route.

References.

- [1]. Aden, A., Ruth, M., Ibsen, K., Jechura, J., Neeves, K., Sheehan, J., Wallace, B., Montague, L., Slayton, A., Lukas, J., 2002. Lignocellulosic Biomass to Ethanol Process Design and Economics Utilizing Co-Current Dilute Acid Prehydrolysis and Enzymatic Hydrolysis for Corn Stover. National Renewable Energy Laboratory Technical Report. NREL/TP-510-32438.
- [2]. Cardona, C.A., Sánchez, O.J., 2007. Fuel Ethanol Production: Process Design Trends and Integration Opportunities. *Bioresour. Technol.* 98, 2471-2457.
- [3]. Larsen, J., Petersen, M.Ø., Thirup, L., Li, H.W., Iversen, F.K., 2008. The IBUS Process-Lignocellulosic Bioethanol Close to a Commercial Reality. *Chem. Eng. Technol.* 31, 765-772.
- [4]. Morales-Rodriguez, R. Meyer, A.S., Gernaey, K.V., Sin, G., 2011. Dynamic model-based evaluation of process configurations for integrated operation of hydrolysis and co-fermentation for bioethanol production from lignocellulose. *Bioresour Technol.* 102, 1174-1184.
- [5]. Falholt, P., 2010. Novozymes – Decrease Project. *Presentation at the 1st International conference on Lignocellulosic Ethanol From Demonstration to Market Deployment.* 13-15 October 2010, Copenhagen.