

## Arctic sea-level reconstruction analysis using recent satellite altimetry

**Svendsen, Peter Limkilde; Andersen, Ole Baltazar; Nielsen, Allan Aasbjerg**

*Published in:*  
Geophysical Research Abstracts

*Publication date:*  
2014

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Svendsen, P. L., Andersen, O. B., & Nielsen, A. A. (2014). Arctic sea-level reconstruction analysis using recent satellite altimetry. Geophysical Research Abstracts, [EGU2014-14578].

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



## **Arctic sea-level reconstruction analysis using recent satellite altimetry**

Peter Limkilde Svendsen (1), Ole Baltazar Andersen (1), and Allan Aasbjerg Nielsen (2)

(1) DTU Space, Technical University of Denmark, Kgs. Lyngby, Denmark, (2) DTU Compute, Technical University of Denmark, Kgs. Lyngby, Denmark

We present a sea-level reconstruction for the Arctic Ocean using recent satellite altimetry data. The model, forced by historical tide gauge data, is based on empirical orthogonal functions (EOFs) from a calibration period; for this purpose, newly retracked satellite altimetry from ERS-1 and -2 and Envisat has been used. Despite the limited coverage of these datasets, we have made a reconstruction up to 82 degrees north for the period 1950–2010.

We place particular emphasis on determining appropriate preprocessing for the tide gauge data, and on validation of the model, including the ability to reconstruct known data. The relationship between the reconstruction and climatic variables, such as atmospheric pressure, and climate oscillations, including the Arctic Oscillation (AO), is examined.