



## Graphene Coatings

### The Real Deal

**Stoot, Adam Carsten; Camilli, Luca; Bøggild, Peter**

*Published in:*

Proceedings of Carbonhagen 2014

*Publication date:*

2014

[Link back to DTU Orbit](#)

*Citation (APA):*

Stoot, A. C., Camilli, L., & Bøggild, P. (2014). Graphene Coatings: The Real Deal. In Proceedings of Carbonhagen 2014

---

#### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal


If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

**Title:**


Graphene Coatings: The Real Deal

**Affiliation:**

Adam C. Stoot, Luca Camilli, Peter Bøggild  
DTU Nanotech, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

**Research picture****Abstract**

Owing to its remarkable electrical and mechanical properties, graphene has been attracting tremendous interest in materials science. In particular, its chemical stability and impermeability make it a promising protective membrane. However, recent investigations reveal that single layer graphene cannot be used as a barrier in the long run, due to galvanic corrosion phenomena arising when oxygen or water penetrate through graphene cracks or domain boundaries. Here, we overcome this issue by using a multilayered (ML) graphene coating. Our lab- as well as industrial-scale tests demonstrate that ML graphene can effectively protect Ni in harsh environments, even after long term exposure. This is made possible by the presence of a high number of graphene layers, which can efficiently mask the cracks and domain boundaries defects found in individual layers of graphene. Our findings thus show that graphene can still be a relevant candidate for thin coatings.

**Portrait image****Mini-CV**

Adam C. Stoot is a PhD student in the Nanocarbon group at the department of Nanotechnology, Technical University of Denmark. He is primarily interested in the mechanical properties of graphene and other 2D material for protective purposes. He received his B.Sc. degree in physics and nanotechnology (2010) and his M.Sc. in physics and nanotechnology (2013), both at the Technical University of Denmark.

Luca Camilli is a postdoctoral researcher in the Nanocarbon group at the department of Nanotechnology, Technical University of Denmark. His research interests are mainly focused on controlled synthesis of 2D materials, such as graphene and hexagonal boron nitride. He received

his PhD at University of Rome “Tor Vergata” (Rome, Italy) and worked one year as a postdoc at Dr. Sutter’s group in Brookhaven National Lab (NY, USA).