

## On the importance of aqueous diffusion and electrostatic interactions in advectiondominated transport in saturated porous media

### Rolle, Massimo

Published in: Geophysical Research Abstracts

Publication date: 2015

Document Version Publisher's PDF, also known as Version of record

#### Link back to DTU Orbit

*Citation (APA):* Rolle, M. (2015). On the importance of aqueous diffusion and electrostatic interactions in advection-dominated transport in saturated porous media. *Geophysical Research Abstracts*, *17*, [EGU2015-1914].

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim. Geophysical Research Abstracts Vol. 17, EGU2015-**PREVIEW**, 2015 EGU General Assembly 2015 © Author(s) 2014. CC Attribution 3.0 License.



# On the importance of aqueous diffusion and electrostatic interactions in advection-dominated transport in saturated porous media

Massimo Rolle

Technical University of Denmark, Department of Environmental Engineering, Lyngby, Denmark (masro@env.dtu.dk)

Diffusion and compound-specific mixing significantly affect conservative and reactive transport in groundwater. The variability of diffusion coefficients for different solutes has a relevant impact on their displacement at different scales, not only under diffusion-dominated regimes but also under advection-dominated flow through conditions. When the solutes are charged species, besides the magnitude of their aqueous diffusion coefficients also their electrostatic interactions play a significant role in the displacement of the different species. Under flow-through conditions this leads to multicomponent ionic dispersion: the dispersive fluxes of the different ions are cross-coupled due to the effects of Coulombic interactions. Such effects are illustrated in flow-through experiments in saturated porous media. Simple strong electrolytes were selected as tracers and their transport was studied under different advection-dominated conditions and in homogeneous and heterogeneous porous media. The interpretation of the experimental results requires a multicomponent modeling approach with an accurate description of local hydrodynamic dispersion and explicitly accounting for the cross-coupling of dispersive fluxes due to the Coulombic interactions between the charged species.