



Echinococcus multilocularis found in 2 foxes in Southern Jutland

Enemark, Heidi L.

Publication date:
2013

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Enemark, H. L. (2013, Jul 10). Echinococcus multilocularis found in 2 foxes in Southern Jutland.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Published Date: 2013-07-10 16:36:04

Subject: PRO/AH/EDR> Echinococcus multilocularis, fox - Denmark (02): (SD)

Archive Number: 20130710.1817722

ECHINOCOCCUS MULTILOCULARIS, FOX - DENMARK (02): (SOUTH DENMARK)

A ProMED-mail post

<http://www.promedmail.org>

ProMED-mail is a program of the
International Society for Infectious Diseases

<http://www.isid.org>

Date: Wed 10 Jul 2013

From: Heidi Enemark <enhi@vet.dtu.dk> [edited]

Echinococcus multilocularis found in 2 foxes in Southern Jutland

The news about these findings were released this morning [10 Jul 2013]. However, later today we detected another positive fox, from the same area, which is not mentioned in the press release (The press release, in Danish, can be found at <http://www.vet.dtu.dk/Nyheder/Nyhed?id=%7bDC4E4263-505A-4554-BD23-BB1C85C34327%7d>).

Since September 2011 we have surveyed _E. multilocularis_ in wild carnivores. A total of 856 carnivores have been studied so far: 692 foxes, 150 raccoon dogs, 11 badgers, 3 raccoons, and one wolf. Of these, 7 foxes were positive, all of them originating from the same area in southern Denmark -- the Hojer region near the German border. At present, 32 foxes have been analyzed from this area (local prevalence: 7/32 = 21.9 percent; national prevalence: 7/692 = 1.0 percent).

The 3 new findings were from foxes shot between December 2012 and February 2013 and revealed worm burdens of 1527, 596, and 33 adult _E. multilocularis_. Up until now previous worm burdens have not exceeded 27 worms.

All animals were analyzed by the sedimentation and counting technique (Eckert et al. 2001), and worms from all positive foxes have been submitted to Jenny Knapp [Laboratory of Chrono-environment, University of France-Comte, Besancon, France] for sub-genotyping.

A PCR is currently being implemented in our laboratory aimed at analyzing faecal samples in future Danish surveillance programs.

--

Heidi L Enemark
Senior Researcher, DVM, PhD
National Veterinary Institute
Section for Bacteriology, Pathology & Parasitology
Technical University of Denmark
Bulowsvej 27, Building 2
DK 1870 Frederiksberg C
Denmark
<http://www.dtu.dk/>
<enhi@vet.dtu.dk>

[_E. multilocularis_ was first found in Denmark in 2000, when the parasite was identified in 2 foxes in the Copenhagen region (Petersen JE, Kapel CM, Deplazes P: _Echinococcus_ multifocal. Epidemiology, clinical findings and treatment. Ugeskr Laeger. 2001; 163(3): 275-7 --in Danish).

Over the past 20 years (_E. multilocularis_) has been spreading north in Germany and it is not surprising that it will continue its northern expansion into Denmark. The situation has recently been reviewed (Enemark HL et al: Detection of a high-endemic focus of _Echinococcus multilocularis_ in red foxes in

southern Denmark, January 2013. Euro Surveill. 2013; 18(10): 20420;
<http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=20420>).

The distribution of *E. multilocularis* in Scandinavia is intriguing with reports from the arctic parts of Norway (Svalbard) (see ProMED reports from 2000 below) and reports from Southern Sweden from 2011, but no reports from Finland despite surveillance. - Mod.EP

Maps of Denmark can be seen at <http://www.ezilon.com/maps/europe/denmark-maps.html> and <http://healthmap.org/r/7znN>. - Sr.Tech.Ed.MJ]

See Also

Echinococcus multilocularis, fox - Denmark: (SD) [20130308.1577683](#)
2012

Echinococcus multilocularis, fox - Denmark: (SD) OIE [20120419.1106800](#)

2011

Echinococcus multilocularis, fox - Sweden (06): (KO), OIE [20110618.1858](#)

Echinococcus multilocularis, fox - Sweden (05): (SD) new area, OIE [20110517.1497](#)

Echinococcus multilocularis, fox - Sweden (04): comments [20110303.0699](#)

Echinococcus multilocularis, fox - Sweden: OIE [20110219.0543](#)

2007

Echinococcosis, foxes - France [20071222.4114](#)

2000

Echinococcus multilocularis - Norway (03) [20000906.1523](#)

Echinococcus multilocularis, Norway [20000830.1451](#)

1997

Echinococcus, fox - Europe (04) [19971221.2523](#)

.....ep/mj/jw

©2001,2008 International Society for Infectious Diseases All Rights Reserved.

Read our privacy guidelines. Use of this web site and related services is governed by the Terms of Service.