



Computational screening of mixed metal halide ammines

Jensen, Peter Bjerre; Lysgaard, Steen; Quaade, Ulrich; Vegge, Tejs

Published in:

ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY

Publication date:

2013

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Jensen, P. B., Lysgaard, S., Quaade, U., & Vegge, T. (2013). Computational screening of mixed metal halide ammines. ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY, 245, [122-COMP].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

COMP

Emilio Esposito, Scott Wildman

Monday, April 08, 2013

122 - Computational screening of mixed metal halide amines

Peter Bjerre Jensen¹, pbjen@dtu.dk, **Steen Lysgaard**¹, **Ulrich Quaade**², **Tejs Vegge**¹. (1) DTU Energy Conversion, Technical University of Denmark, Kgs Lyngby, Denmark, (2) Amminex A/S, Søborg, Denmark

Metal halide amines, e.g. $\text{Mg}(\text{NH}_3)_6\text{Cl}_2$ and $\text{Sr}(\text{NH}_3)_8\text{Cl}_2$, can reversibly store ammonia, with high volumetric hydrogen storage capacities. The storage in the halide amines is very safe, and the salts are therefore highly relevant as a carbon-free energy carrier in future transportation infrastructure. In this project we are searching for improved mixed materials with optimal desorption temperature and kinetics, optimally releasing all ammonia in one step. We apply Density Functional Theory, DFT calculations on mixed compounds selected by a Genetic Algorithm (GA), relying on biological principles of natural selection. The GA is evolving from an initial (random) population and selecting those with highest fitness, e.g. stability, release temperature and storage capacity. The search space includes all alkaline, alkaline earth, 3d and 4d metals and the four lightest halides. In total the search space consists of almost two million combinations, which makes a GA ideal, to reduce the number of necessary calculations.

Monday, April 8, 2013 04:20 PM

[Material Science \(01:30 PM - 05:20 PM\)](#)

Location: Morial Convention Center

Room: 356

*ACS does not own copyrights to the individual abstracts. For permission, please contact the author(s) of the abstract.

[Close Window](#)