



## Validating firn compaction model with remote sensing data

**Simonsen, S. B.; Stenseng, Lars; Sørensen, Louise Sandberg; Adalgeirsdottir, G.; Hvidberg, C. S.**

*Publication date:*  
2011

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Simonsen, S. B., Stenseng, L., Sørensen, L. S., Adalgeirsdottir, G., & Hvidberg, C. S. (2011). *Validating firn compaction model with remote sensing data*. Abstract from 2011 AGU Fall Meeting, San Francisco, CA, United States.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

[AGU Abstract Browser](#) Beta

- [About](#)
- [Meetings](#)
- [Sections](#)
- [Index Terms](#)
- [Advanced Search](#)

Quick Search

## Validating firn compaction model with remote sensing data

### Details

<b>Meeting</b>	<a href="#">2011 Fall Meeting</a>
<b>Section</b>	<a href="#">Cryosphere</a>
<b>Session</b>	<a href="#">Observation-Driven Modeling of Glaciers and Ice Sheets III</a>
<b>Identifier</b>	C32A-08
<b>Authors</b>	<a href="#">Simonsen, S B*, Centre for Ice and Climate, University of Copenhagen, Copenhagen, Denmark</a> <a href="#">Stenseng, L, Geodesy Department, DTU Space, Copenhagen, Denmark</a> <a href="#">Sandberg, L, Geodynamics Department, DTU Space, Copenhagen, Denmark</a> <a href="#">Adalgeirsdottir, G, Danish Climate Centre, Danish Meteorological Institute, Copenhagen, Denmark</a> <a href="#">Hvidberg, C S, Centre for Ice and Climate, University of Copenhagen, Copenhagen, Denmark</a>
<b>Index Terms</b>	<a href="#">Ice sheets [0726]</a> <a href="#">Snow [0736]</a> <a href="#">Remote sensing [0758]</a> <a href="#">Mass balance [0762]</a>

### Abstract

A comprehensive understanding of firn processes is of outmost importance, when estimating present and future changes of the Greenland Ice Sheet. Especially, when remote sensing altimetry is used to assess the state of ice sheets and their contribution to global sea level rise, firn compaction models have been shown to be a key component. Now, remote sensing data can also be used to validate the firn models. Radar penetrating the upper part of the firn column in the interior part of Greenland shows a clear layering. The observed layers from the radar data can be used as an in-situ validation of firn models over large length scales. Here, a simple empirical firn model that is forced with the output of high-resolution (5km) regional climate model (HIRHAM5) is explored. The model is capable of describing a layered structure of the firn column and has previously been used to estimate changes of firn compaction to correct ICESat measurements and assessing the present mass loss of the Greenland ice sheet. Validation of the model against the radar data gives good results and confidence in using the model to answer important questions. Questions such as; how large is the firn compaction correction relative to the changes in the elevation of the surface observed with remote sensing altimetry? What model time resolution is

necessary to resolved the observed layering? What model refinements are necessary to give better estimates of the surface mass balance of the Greenland ice sheet from remote sensing altimetry?

**Cite as:** Author(s) (2011), Title, Abstract C32A-08 presented at 2011 Fall Meeting, AGU, San Francisco, Calif., 5-9 Dec.