



## Fusion in the energy system

Grohnheit, Poul Erik

*Publication date:*  
2009

[Link back to DTU Orbit](#)

*Citation (APA):*  
Grohnheit, P. E. (Author). (2009). Fusion in the energy system. Sound/Visual production (digital)

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.


# Fusion in the energy system

*Poul Erik Grohnheit*

Systems Analysis Division, Risø DTU

pogr@risoe.dtu.dk


European Environment Agency,  
Copenhagen 10 November 2009



# Fusion in the energy systems


## – starting point

- Unit size 1.5 GW, similar to fission units or 2-3 large coal units
- Very large base-load units
- Steam parameters 600-800 °C, similar to advanced coal or combined cycle gas turbines
- Suitable for large-scale combined heat and power (CHP) for urban district heating
- Suitable for catalytic hydrogen generation
- Available from 2050 onwards



Source: Markus Blesl, IER Stuttgart. NEEDS Project. Results Oct. 2007, CEEH Workshop Risø DTU Feb. 2008

# UK 2050: Decarbonisation of Power Sector (CO2 reduction 40-90 %)



- Power sector is decarbonised by three technologies/resources
- Small cost differential between Coal-CCS, Nuclear and Wind
- Rising electricity production – linkages to buildings and transport sectors

Source: Dr. Neil Strachan, King's College London, FENCO 'Storage Utsira' Kick-Off meeting 10-02-09

# Flow optimisation models

## Variables:

Flows

Capacity investments

## Objective function - options:

Min. total system costs

Max. contribution margin/utility

## Constraints:

Demands

Commodity balances

Flow-capacity


Non-negative variables

## Multi-period options

Myopic - period by period

Full foresight -

Discounted objective function



## Basic parameters:

Initial capacities

Efficiencies

Prices

## Optional parameters:

Price elasticities

Emission factors

Discount rate

## Model systems:

Excel solver

EFOM

MESSAGE

MARKAL/TIMES

Balmorel

# EFDA-TIMES: Long-term optimisation focusing on fusion

- Global energy model in 15 regions
- Network on energy demand and supply
- Time horizon 2100
- First version 2005
- Current study under Socio-Economic Research on Fusion (SERF)
- Results focusing on technologies for electricity generation
- Fusion: Starts 2050, small share to 2070. Significant contribution by 2100.
- Will replace mainly large capital-intensive technologies, in particular fission.

## Fusion in the energy systems – annotated references

The NEEDS-TIMES Pan European model was developed as a part of a large Integrated Project – 66 participants, 54 months –under the EU 6<sup>th</sup> Framework Programme, “NEEDS - New Energy Externalities Developments for Sustainability”, Research Stream 2a “Modelling internalisation strategies, including scenario building.”, [www.needs-project.org](http://www.needs-project.org)

The scenarios for UK 2050: “Decarbonisation of Power Sector” are calculated by UK MARKAL, which was developed by several research teams under the UK Energy Research Centre, to be used for the Government’s Energy White Paper 2007 and later. [www.ukerc.ac.uk](http://www.ukerc.ac.uk)

The EFDA-TIMES global model is developed under the European Fusion Development Agreement (EFDA) Socio-Economic Research on Fusion (SERF), [www.efda.org](http://www.efda.org)

The model generators MARKAL and TIMES are developed since 1976 by the IEA Implementing Agreement Energy Technology Systems Analysis Programme (ETSAP), [www.etsap.org](http://www.etsap.org)

Further details:

Poul Erik Grohnheit, Using the IEA ETSAP modelling tools for Denmark, Risø-R-1656(EN), [www.risoe.dtu.dk/Knowledge\\_base/publications/Reports/ris-r-1656.aspx?sc\\_lang=en](http://www.risoe.dtu.dk/Knowledge_base/publications/Reports/ris-r-1656.aspx?sc_lang=en)