

Three-dimensional investigation of recrystallization nucleation in a particle-containing Al alloy

Zhang, Yonghao; Juul Jensen, Dorte; Zhang, Yubin; Lin, Fengxiang; Zhang, Zhiqing; Liu, Qing

Published in:
Scripta Materialia

Link to article, DOI:
[10.1016/j.scriptamat.2012.05.006](https://doi.org/10.1016/j.scriptamat.2012.05.006)

Publication date:
2012

[Link back to DTU Orbit](#)

Citation (APA):

Zhang, Y., Juul Jensen, D., Zhang, Y., Fengxiang, L., Zhang, Z., & Liu, Q. (2012). Three-dimensional investigation of recrystallization nucleation in a particle-containing Al alloy. *Scripta Materialia*, 67(4), 320-323. DOI: 10.1016/j.scriptamat.2012.05.006

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Elsevier Editorial System(tm) for Scripta Materialia
Manuscript Draft

Manuscript Number:

Title: 3D investigation of recrystallization nucleation in a particle-containing Al alloy

Article Type: Regular Article

Keywords: Aluminum; Cluster/Band of particles; Dispersoid; Serial sectioning; Particle stimulated nucleation

Corresponding Author: Dr.Techn. Dorte Juul Jensen,

Corresponding Author's Institution: Risoe DTU

First Author: Yonghao Zhang

Order of Authors: Yonghao Zhang; Dorte Juul Jensen; Yubin Zhang, Ph. d; Fengxiang Lin; Zhiqing Zhang, Ph. D; Qing Liu, Ph. D

Abstract: Effects of an inhomogeneous distribution of second-phase particles on nucleation of recrystallization in a particle-containing aluminum alloy are investigated by 3D serial sectioning. Clusters and bands of big intermetallic particles are the dominating nucleation sites, but also other sites are active. Effects of nucleation sites and the inhomogeneous particle distribution on the orientation and size of the nuclei are investigated and their relationships are discussed.

Suggested Reviewers: Knut Marthinsen
Professor, Department of Materials Science and Engineering, Norwegian University of Science
knut.marthinsen@material.ntnu.no

George Spanos
Materials Science&Technology Division, Naval Research Laboratory
george.spanos@nrl.navy.mil

Anthony Rollett
Department of materials science & engineering, Carnegie Mellon University
rollett@andrew.cmu.edu

Brian John Duggan
Dept Mech Engn, Univ Hong Kong
bjduggan@hkucc.hku.hk

Dear Editor,

This is a resubmission of manuscript SMM-11-2429 which was handled by Editor H. Bhadeshia.

Dear Harry Bhadeshia,

Following our email conversation on our previous submission SMM-11-2429 in which the referee agreed that the 3D analysis were needed to address the topic we investigate, but said that the experimental data were poorly analyzed. We have followed the suggestions from the referee.

We have plotted the orientations of all the nuclei in an ODF and clearly marked the orientation ranges which we consider in our analysis. This is presented as a new figure (Fig. 4a).

We have also plotted the sizes of the nuclei in specific deformed matrices together with the calculated average values including error bars in a new figure (Fig. 4b). This figure clearly shows the large scatter in sizes but also the significant differences between the average sizes in the different matrix classes.

To further add value to the manuscript we have now also done the nucleation site analysis in 2D by looking at the individual 2D sections of the 3D volume independently. The results are included and very clearly demonstrates the errors introduced if only 2D data have been considered.

Finally we have tried to sharpen the text to make our results and interpretations clearer. All the new text is highlighted in yellow in the manuscript and the new figures are Figure 4a and 4b.

We very much hope our manuscript is now acceptable for publication in Scripta Materialia.

Sincerely yours
Dorte Juul Jensen

3D investigation of recrystallization nucleation in a particle-containing Al alloy

Yonghao Zhang,^a Dorte Juul Jensen,^{b,*} Yubin Zhang,^b Fengxiang Lin,^b Zhiqing

Zhang^a and Qing Liu^a

^a *College of Materials Science and Engineering, Chongqing University, Chongqing 400030, People's Republic of China*

^b *Danish-Chinese Center for Nanometals, Materials Science Division, Department of Wind Energy, Technical University of Denmark, DK-4000 Roskilde, Denmark*

Effects of an inhomogeneous distribution of second-phase particles on nucleation of recrystallization in a particle-containing aluminum alloy are investigated by 3D serial sectioning. Clusters and bands of big intermetallic particles are the dominating nucleation sites, but also other sites are active. Effects of nucleation sites and the inhomogeneous particle distribution on the orientation and size of the nuclei are investigated and their relationships are discussed.

Keywords: Aluminum; Cluster/Band of particles; Dispersoid; Serial sectioning; Particle stimulated nucleation

It is widely accepted that particles are of utmost importance in recrystallization of alloys containing a large number of second-phase particles [1-7]. Generally, large non-deformable particles promote recrystallization by stimulating nucleation (Particle Stimulated Nucleation, PSN) while closely-spaced fine ones inhibit this process by pinning grain boundaries (Zener Pinning) [3, 8]. 3xxx series aluminum alloys such as 3004 and 3104 have been intensively studied because of their commercial significance in the manufacture of rigid containers (cans). Large Al-Fe-Mn-Si constituent particles clearly promote recrystallization after hot rolling. Fine ($\ll 1$ micron) dispersoids formed during homogenization also play a critical role in recrystallization kinetics. While the general impacts of these particles are well-established, it has been difficult to develop accurate predictive models for grain structure and texture after hot deformation. A main problem is that constituent and dispersoid particles may be inhomogeneously distributed due to micro-segregation resulting from the ingot casting process.

The present study focuses on the effects of non-uniformly distributed particles and dispersoids. Most of the former studies on PSN were carried out by 2D methods whereby key information may be lost. To the knowledge of the authors only one paper has been published containing direct 3D information on the correlation between large second-phase particles and nuclei [9]. In the present study a 3D serial sectioning

* Corresponding author. E-mail: doje@risoe.dtu.dk

1 method combined with Electron Channeling Contrast (ECC) and Electron
2 Backscattered Diffraction (EBSD) are employed to reveal the relationship between
3 nuclei and second-phase particles.
4

5 A commercial DC-cast AA3104 aluminium alloy (chemical composition in wt.%:
6 Al-0.9Mn-1.18Mg-0.41Fe-0.22Si-0.18Cu) was used in this work. A large number of
7 big $\text{Al}_6(\text{Fe},\text{Mn})/\text{Al}_{12}(\text{FeMn})_3\text{Si}$ intermetallic particles were formed during casting. The
8 starting material was heat treated at 530 °C for 10 hours and then air cooled. After the
9 heat treatment, two types of Al-Mn-Si dispersoid with sizes from tens of nanometers
10 (small spot-like dispersoids) to 3 μm (large rod-like dispersoids) precipitated. As
11 sketched in [Figure 1a](#), the structure is characterized by big intermetallic particles at
12 the grain boundaries, zones almost free of precipitates (Precipitate Free Zones, PFZs,
13 marked A) and zones with a low density of the large rod-like dispersoids (marked B)
14 as well as zones with a somewhat higher density of small spot-like dispersoids
15 (marked C). Very limited further precipitation is expected during later annealing since
16 supersaturated elements were well released during the heat treatment at 530 °C, thus
17 the influence of concurrent precipitation with nucleation can be ignored.
18

19 The material was then cold rolled to a reduction of 80% in thickness. After rolling
20 an inhomogeneous distribution of big intermetallic particles was produced with
21 clusters/bands of particles formed mainly along the rolling direction (RD), as sketched
22 in [Figure 1b](#). The width of the particle clusters/bands along the normal direction (ND)
23 varies from 10-40 μm . The zones apparently free of precipitates, with large rod-like
24 dispersoids and small spot-like dispersoids were of course also compressed along ND
25 ([Fig. 1b](#)). The zones with particles of different types are fairly large and easy to
26 distinguish and the material is thus, besides being of commercial interest, ideal for
27 studies of combined effects of large and small particles on nucleation of
28 recrystallization. To initiate recrystallization the material was finally annealed at 300
29 °C for 1 h.
30

31 Serial sectioning was performed with a Logitech PM5 precision lapping and
32 polishing machine using a 1 μm grit diamond suspension. Two samples were cut out
33 and permanently mounted in a tailor made sample holder, one sample was for the
34 characterization, and the other one was used to determine the depth removed in the
35 sectioning steps by Vickers hardness indents. For further experimental details see [\[10\]](#).
36 ECC images and EBSD scans were made in a Zeiss Supra 35 thermal field emission
37 gun scanning electron microscopy (SEM), the step size of the EBSD scans was 1 μm .
38 An area of 510 μm by 340 μm was characterized with ECC and EBSD in each section
39 and a total of 17 sections with a separation of about 2 μm were studied (considering
40 that the size of some particles and nuclei are very small, the sectioning steps was
41 controlled to be as small as possible). The ECC image and the corresponding EBSD
42 map from each section need to be matched after characterization, for details of the
43 matching see supplementary material. The 3D microstructure was reconstructed from
44 the 2D section images by image analysis software Reconstruct [\[11\]](#).
45
46
47
48
49
50
51
52
53
54
55
56
57
58

59 By combining ECC and EBSD, both particles and nuclei could be identified [\[12\]](#).
60
61
62
63
64
65

1 In the present study, particles with a size larger than 3 μm are defined as big particles,
2 smaller ones are defined as dispersoids. If no neighboring big particle is found beside
3 one big particle within the range of its own size, we call it a 'single big particle',
4 otherwise it will be considered as part of a big particle cluster/band. Nuclei are
5 identified as being partly or fully surrounded by a high angle boundary (more than
6 15°), to be larger than 3 μm and with interior misorientations below 2° .
7

8 An example of the observations is given in Figure 2. Figure 2a shows the EBSD
9 map of section 5. Nuclei with different orientations can easily be distinguished. Figure
10 2b shows the ECC image of the same area and the particles and some of the nuclei are
11 clearly visible. After comparing Figure 2a and 2b it is obvious that a large number of
12 nuclei of varying orientations locate at big particle clusters/bands and thus also form
13 clusters following the particle clusters. To get the full 3D picture of the distribution of
14 particles of the various types and the nuclei, the 17 sections are stacked and
15 considered together. In Figure 3a-c, sketches of the particles and nuclei in the same
16 area from two neighboring sections (#8 and 9) and one further away (#14) are shown.
17 Figure 3d and 3e shows the full 3D reconstruction highlighting the big particles (Fig.
18 3d) and the nuclei plus big particles (Fig. 3e).
19

20 Within the whole inspected volume, a total of 2423 nuclei has been found, and
21 their orientations and positions have been registered. Four types of nucleation sites are
22 observed: single big particles, clusters/bands of big particles, large dispersoids and
23 regions without particles or dispersoids. The results are shown in Table 1. The table
24 shows that nearly 90% of the nuclei are found at clusters/bands of big particles. This
25 is not surprising because large deformation heterogeneities form near big particles
26 during rolling [1-2]. When clusters of particles are present, the inhomogeneities are
27 expected to become even more severe. Also single big particles are observed to be
28 good nucleation sites, 2.8% of the nuclei are found near these particles. Actually all
29 single big particles and clusters/bands of big particles are observed to have stimulated
30 nuclei. It should be noticed that large dispersoids may also act as nucleation sites. In
31 this investigation, about 5% of the nuclei develop at big rod-like dispersoids which
32 have sizes within the range from 0.5 μm to 3 μm . This range is more or less above the
33 critical diameter for PSN (about 2 μm) after rolling to 80% [2]. Although many
34 particles are present in the material, they are not the only sources for nucleation, 2.8%
35 of the nuclei are found with no particles or large dispersoids next to them. (It should
36 be pointed out that this fraction is likely to be an underestimate since some of the
37 nuclei may have nucleated away from particles or large dispersoids but grown to
38 become near them. These nuclei would thus with the present analysis be counted as
39 part of one of the first 3 groups.)
40

41 Figure 3 illustrates the need of using the 3D method. The large nuclei and big
42 particles (clusters/bands) extend over several sections along the transverse direction
43 (TD), which easily lead to misinterpretations in 2D. For the present data, 2D
44 inspections of the sections instead of the full 3D analysis leads to quite different
45 results, for example only 74.3% of the nuclei would in 2D have been classified as
46 near big particle clusters/bands and 13.1% would have been identified as nucleated
47 away from particles or large dispersoids (compare to Table 1).
48
49
50

1 The orientations of the nuclei are also known and they are divided into 3 groups
2 according to their orientations as Cube (within 15° of {001}<100>), Rolling (within
3 25° of S {123}<634>, Copper {112}<111> and Brass {011}<211>) and Random (just
4 everything else). The wider orientation range for the rolling component is chosen to
5 represent well the observed width of the rolling components in the Orientation
6 Distribution Function (ODF), see Figure 4a. With this classification 2.6%, 52.9% and
7 44.5% of the nuclei have cube, rolling and random orientations, respectively.
8

9 Out of the 2230 nuclei at single big particles or clusters/bands of big particles,
10 52.9% are with rolling and 44.3% with random orientations. The origin of formation
11 of nuclei with these orientations has been discussed in [13]. In the present
12 investigation also many cube nuclei are observed at clusters/bands of big particles
13 (see Table 1). One may speculate if cube nuclei have grown from other areas, but this
14 is not very likely as few cube nuclei are seen in the ‘None’ group and the 3D cube
15 nuclei size on average is 7.9 μm whereas rolling and random are larger, 10.5 μm and
16 11.3 μm, respectively. It should be noted that if a nucleus extends through the whole
17 inspected volume, e.g. if it is larger than 34 μm along TD, it is reported as 34 μm and
18 if it extends in one direction only the size is reported as the parts which are seen. This
19 procedure is not expected to have significant effect on the ratio between sizes of
20 nuclei with different orientations. Hence cube nuclei also appear to form near the big
21 particles and particle clusters/bands.
22

23 The nuclei are observed to have a wide size distribution (see Fig. 3). This wide
24 distribution does not relate to orientations only but also the deformed matrix. Here we
25 analyze 3 types of matrices: precipitate free zones (PFZs), zones with large rod
26 dispersoids and zones with small dispersoids. The sizes of nuclei within these 3 types
27 of matrices are plotted in Figure 4b. The figure shows that nuclei within zones of
28 small spot dispersoids on average are smaller than those in PFZs and zones with large
29 rod dispersoids. This is expected due to pinning effects. The figure also shows that
30 nuclei within zones of large rod dispersoids are much larger than those within PFZs.
31 This may relate to the spatial distribution of the 3 types of matrices. As shown in
32 Figure 1b, PFZs are generally observed next to big particle clusters/bands which
33 stimulate many nuclei. Zones with large rod dispersoids are away from the
34 clusters/bands of big particles. Therefore fewer nuclei develop here. This gives part of
35 the explanation. Some nuclei which have formed at the big particle clusters/bands
36 may grow to reach the zones with large rod dispersoids. As shown in Figure 1b, this
37 generally involves growth through a zone with small spot dispersoids – i.e. slow
38 growth. Therefore it is expected that as soon as the first (or a few) of these slow
39 growing nuclei reaches a zone with large dispersoids it will speed up significantly and
40 quickly consume large parts of the zone, and thus ‘blocking’ the way for any
41 neighboring nuclei reaching this faster growth zone later. Consequently the size of the
42 nuclei observed in zones with large rod dispersoids is to a large extent determined by
43 the size of those zones whereas the nuclei in PFZs and zones with fine spot
44 dispersoids have sizes determined by the nucleation density at the big particle
45 clusters/bands, as well as growth rates in the respective zone.
46

47 The present investigation has demonstrated the need for full 3D characterization
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 when nucleation sites have to be identified. It has confirmed that clusters/bands of big
2 particles are very powerful nucleation sites stimulating 90% of the nuclei
3 predominantly of rolling and random orientations but also cube nuclei may form here.
4 A large size variation of nuclei is observed which at this stage of recrystallization does
5 not relate only to orientation effects but to a large extent is determined by the
6 inhomogeneous distribution of dispersoids in the deformed matrix.
7

8 The authors gratefully acknowledge support from the National Natural Science
9 Foundation of China (Grant No. 50901092) and from the Danish National Research
10 Foundation and the National Natural Science Foundation of China (Grant No.
11 50911130230) for the Danish-Chinese Center for Nanometals, within which this work
12 was performed. The authors also thank Prof. Brian Ralph and Dr. Robert E. Sanders
13 for helpful comments and Mr. Steen Bang for making the sample holder.
14
15
16
17
18

19 [1] W.C. Leslie, J.T. Michalak, F.W. Aul, *Iron and its Dilute Solid Solutions*, Interscience, New York,
20 1963.

21 [2] F.J. Humphreys, *Acta Metall.*, 25 (1977) 1323-1344.

22 [3] R.D. Doherty, D.A. Hughes, F.J. Humphreys, J.J. Jonas, D. Juul Jensen, M.E. Kassner, W.E. King,
23 T.R. McNelley, H.J. McQueen, A.D. Rollett, *Mater. Sci. Eng. A*, 238 (1997) 219-274.

24 [4] F.J. Humphreys, D. Juul Jensen, in: N. Hansen, D. Juul Jensen, T. Leffers, B. Ralph (Eds.) 7th Risø
25 Int. Symp. on Metallurgy and Materials Science, Risø National Lab., Roskilde, Denmark, 1986, pp.
26 93-106.

27 [5] F.J. Humphreys, *Acta Mater.*, 45 (1997) 4231-4240.

28 [6] F.J. Humphreys, *Scripta Mater.*, 43 (2000) 591-596.

29 [7] O. Daaland, E. Nes, *Acta Mater.*, 44 (1996) 1413-1435.

30 [8] C.S. Smith, *Trans. Metal. Soc. A.I.M.E.*, 175 (1948) 15-51.

31 [9] H. Weiland, T.N. Rouns, J. Liu, *Z. Metallkd.*, 85 (1994) 592-597.

32 [10] F.X. Lin, A. Godfrey, D. Juul Jensen, G. Winther, *Mater. Charact.*, 61 (2010) 1203-1210.

33 [11] J.C. Fiala, *J. Microsc.*, 218 (2005) 52-61.

34 [12] Y.H. Zhang, D. Juul Jensen, Q. Liu, to be published.

35 [13] R. Ørsund, E. Nes, *Scripta Metall.*, 22 (1988) 671-676.

Figure and table captions

Table 1. Number of nuclei with cube, rolling and random orientations at specific nucleation sites ('None' - regions without particles or dispersoids)

Figure 1. Distribution of second phase particles: (a) after heat treatment at 530 °C for 10 hours, the structure is characterized by big intermetallic particles at the grain boundaries, zones of PFZs (marked A) and zones with large rod dispersoids (marked B) as well as zones with small spot dispersoids (marked C), (b) after cold rolling, the big intermetallic particles are broken up into clusters/bands. Note that dispersoids are drawn larger than their real size in order to be seen clearly.

Figure 2. (a) EBSD map of section 5 showing the distribution of orientations in the microstructure with different colors (red-cube, yellow-rolling), (b) ECC image of the same section showing the distribution of clusters/bands of big intermetallic particles.

Figure 3. (a)-(c) Sketches of the same area in section 8, 9 and 14. The solid black areas represent big intermetallic particles and areas surrounded by black lines represent the nuclei. Note that nuclei nI, nII and nuclei cluster nIII would have been wrongly classified as nuclei away from big particles if only one section was characterized, (d) 3D reconstruction of big intermetallic particles within the area of (a)-(c) but now using all 17 sections, most of the particles align in bands/clusters, (e) 3D reconstruction of both big intermetallic particles and nuclei (totally 368 nuclei), most of the nuclei are next to big particles and align in bands/clusters, too. Nuclei in regions R1 and R2 are obvious larger than in other regions.

Figure 4. (a) ODF which shows the orientations of all nuclei within the whole inspected volume, black broken line areas show cube and full line areas show rolling orientations, (b) sizes of nuclei within zones with large dispersoids, PFZs and zones with small dispersoids.

Figure1
[Click here to download high resolution image](#)




Figure2

[Click here to download high resolution image](#)





Figure3
[Click here to download high resolution image](#)




Figure4
[Click here to download high resolution image](#)





Table 1. Number of nuclei with cube, rolling and random orientations at specific nucleation sites ('None' - regions without particles or dispersoids)

Site Orientation	Single big particles	Clusters/Bands of big particles	Large dispersoids	None	Total
Cube	1	61	1	1	64
Rolling	34	1146	66	36	1282
Random	32	956	58	31	1077
Total	67 (2.8%)	2163 (89.2%)	125 (5.2%)	68 (2.8%)	2423

Supplementary Material

[Click here to download Supplementary Material: Matching Procedure_2011.12.06.avi](#)

Supplementary Material

[Click here to download Supplementary Material: Supplementary material_2011.12.05.doc](#)